



μ linx[®] FIBER OPTIC CALBES
Avionics



FIBER OPTIC CABLE SOLUTIONS FOR MANNED AND UNMANNED AVIONICS

High strength, high reliability, light weight and wide temperature performance.

OFS | WWW.OFSOPTICS.COM

55 Darling Drive, Avon, CT 06001



GUIDING LIGHT
FOR A BETTER LIFE.™


μlinx® Fiber Optic Cables

Avionics

OFS Micro-Links (μlinx) Avionics Fiber Optic Cables are designed to offer optimal performance in the avionics environment where high strength, high reliability, light weight and wide temperature performance (-65 to 150 °C) are absolutely necessary. μlinx cables have an outer diameter of only 0.8 mm (0.03") the approximate thickness of a credit card, and weight just 0.7 grams/m. The Mid-Temp Dual Coat fiber is braided with aramid yarn for high strength and jacketed with ETFE for abrasion and chemical resistance. μlinx cable has passed the FAR

25.896 60° burn test, and the Boeing flame, smoke, and toxicity tests defined in ARINC 802.

OFS has a long history of manufacturing fiber and cables for military and commercial aircraft and recommends μlinx Avionics Fiber Optic Cables for communication systems on manned and unmanned aircraft. μlinx Avionics Fiber Optic Cables are available in bend optimized single-mode, 50 μm OM3 multimode, or 62.5 μm multimode graded-index fiber designs.



FIBER OPTIC CABLE SOLUTIONS

FOR UNMANNED AVIONICS ENVIRONMENTS

μlinx Avionics Cables			
PRODUCT NAME	μlinx SM - Avionics	μlinx 50 OM3 - Avionics	μlinx 62.5 - Avionics
Core size		50 μm	62.5 μm
Mode Field Diameter	8.5 - 9.3 μm @ 1310 nm 9.5 - 10.5 μm @ 1550 nm		
Attenuation	≤ 0.8 dB/km @ 1310 nm ≤ 0.5 dB/km @ 1550 nm	≤ 5.0 dB/km @ 850 nm ≤ 3.0 dB/km @ 1300 nm	≤ 5.0 dB/km @ 850 nm ≤ 3.0 dB/km @ 1300 nm
Bandwidth		≥ 2000 MHz/km @ 850 nm	
Clad/Coating OD, Material	Mid Temperature 125/250, Dual Coat		
Cable Diameter	0.8 ± 0.05 mm		
Outer Jacket	ETFE		
Strength Member	Braided aramid yarn		
Cable Weight	≤ 0.75 kg/km (0.50 lb/kft)		
Operating Temp	-65 to +150 °C		
Storage Temp	-40 to +85 °C (Limited by spool)		
Min Bend Radius Operation	8 mm (0.31")		
Min Bend Radius Installation	12 mm (0.47")		
Tensile Load Installation	100N (22.5 lbs)		
Tensile Load Operating	38N (8.5 lbs)		
Order by Part Number	C60697	C26490	C25821

NOTE: The operating temperature ranges are general guidelines. Consult with our Technical Sales department to determine the optimal coating and jacketing material for your specific application. 1.860.678.6636. Customized designs available upon request.



For additional information please contact your sales representative.

You can also visit our website at www.ofsoptics.com
or call 1-888-fiberhelp (1-888-342-3743) USA or 1-770-798-5555 outside the USA.



**For a full list of
our certifications,
visit our website.**



Copyright © 2023 OFS Fitel, LLC.
All rights reserved, printed in USA.

OFS Marketing Communications
Date: 04/23

μ linx is a registered trademark of OFS Fitel, LLC.
OFS reserves the right to make changes to the prices and product(s) described in this document at any time without notice. This document is for informational purposes only and is not intended to modify or supplement any OFS warranties or specifications relating to any of its products or services.